

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	241	(router with multicast with (wireless or mobile))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:19
L2	960	(path with handover)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:19
L3	21909	(server with switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
L4	1	I1 I2 I3	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
L5	34709	(server same switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
L6	1	I1 I2 I5	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
L7	39643	(dynamic\$5 same switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
L8	16398	(dynamic\$5 with switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
L9	1	I1 I2 I8	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
L10	3612	((OSPF or path) same (handover or handoff))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
L11	1	I1 I9 I10	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
L12	416	(router with multicast with (wireless or mobile or terminal))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
L13	1	I12 I9 I10	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22

L14	612	(router with multicast same (wireless or mobile or terminal))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
L15	1	l12 l9 l14	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
L16	2	l10 l8 l14	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:23
L17	2577	(router with multicast)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:24
L18	13651	(mobile or wireless) with (handover or handoff)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
L19	38276	(server with switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
L20	19	l17 l18 l19	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
S1	0	"10662379"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/02 12:55
S2	1	10/662379	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/02 12:55
S3	12080	handover	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/18 16:25
S4	134	handover same multipath	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/18 16:25
S5	40	optimal near2 (rout\$3 or point) with multicast\$3	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 10:37
S6	1	redundant near2 path (optimal near2 router with switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S7	1	redundant near2 path ((optimal near2 router) same switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S8	3	redundant ((optimal near2 router) same switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S9	19	optimal near2 (rout\$3 or point) with multicast\$3 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 12:52

S10	20	(path near2 (data or information)) (shortest near path) (handover or handoff) multicast\$3 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:15
S11	2	(path near2 (data or information)) (shortest near path) ((handover or handoff) same (multicast \$3 or multipath or multipath) same (mobile or wireless)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:21
S12	16	(compar\$4 with path) hop ((choos\$3 or chose or select\$3) near3 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:56
S13	2	(compar\$4 near2 path) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:03
S14	0	((compar\$4 or analyz\$3) with optimal with path) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:05
S15	0	((compar\$4 or analyz\$3) with optimal with (path or rout\$3)) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:06
S16	4	((compar\$4 or analyz\$3) adj3 (path or rout\$3)) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:06
S17	19	((stop\$4 or cancel\$4) near3 multicast\$3) (remov \$3 with router) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:58
S18	0	((stop\$4 or cancel\$4) near3 multicast\$3) same (remov\$3 with router)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:59

S19	8	((stop\$4 or cancel\$4) near3 multicast\$3) (remov \$3 near2 router)) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:59
S20	194	multicast (request near3 (path or rout\$3)) ((terminat\$3 or end\$3 or stop\$4) near2 request) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:50
S21	6	multicast handover (request near3 (path or rout\$3)) ((terminat\$3 or end\$3 or stop\$4) near2 request) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:50
S22	4	multicast handover (request near3 (path or route or routing)) ((terminat\$3 or end\$3 or stop\$4) near2 request) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:51
S23	378	(request near3 (path or route or routing)) ((terminat\$3 or end\$3 or stop\$4) near2 request with (path or route or routing)) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 15:59
S24	215	(request near (path or route or routing)) ((terminat\$3 or end\$3 or stop\$4) near2 request with (path or route or routing)) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 15:59
S25	98	(request near2 (path)) ((terminat\$3 or end\$3 or stop\$4) near2 request with (path)) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:00
S26	39	(request near2 (path)) ((terminat\$3 or end\$3 or stop\$4) adj2 request with (path)) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:04
S27	1	"10914574"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:27
S28	19	2002/0150094	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 16:01

S29	1	"20020150094"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 16:01
S30	1	"20020001310"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 17:03
S31	2	"20020009073"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 17:10
S32	0	handover same ((shortest or optimal) near2 path) same (multicast)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:49
S33	47	handover same ((shortest or optimal) near2 path)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:49
S34	76136	(ID or identification) near2 (mobile or terminal or device)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S35	28778	(multicast or multicast\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S36	1	S33 S34 S35	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S37	308519	(ID or identification) with (mobile or terminal or device)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S38	1	S33 S36 S35	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S39	7	S33 S34	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S40	0	S33 S34 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S41	65	(handover or multicast) with (cancel\$7 or stop\$4) with (request\$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:07
S42	146	(handover or multicast) with (copy\$3 near2 (information or data)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:35
S43	23	(handover or multicast) (compar\$3 with path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:48

S44	1	(handover or multicast) (compar\$3 near2 path) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:48
S45	0	(handover multicast) (compar\$3 near3 path) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:55
S46	6	(handover or multipath or multicast) (compar\$3 near3 path) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:55
S47	6	(handover or multipath or multicast\$3) (compar\$3 near3 path) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:56
S48	21	(handover or multipath or multicast\$3) (compar\$3 near3 (path or route)) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:57
S49	3	(handover) (multipath or multicast\$3) (compar\$3 near3 (path or route)) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:58
S50	6	(multipath or multicast\$3) (compar\$3 adj3 (path or route)) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:16
S51	0	(multipath or multicast\$3) (compar\$3 adj3 (path)) same (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:17
S52	1	(multipath or multicast\$3) handover (compar\$3 adj3 (path)) (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:17
S53	3	(multipath or multicast\$3) handover ((rat\$3 or compar\$3 or rank\$3 or analyz\$3) adj3 (path)) (router or tower) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:18
S54	181	(router near2 switch\$3) same (handover or multicast\$3) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44

S55	0	(router near2 switch\$3) same (handover and multicast\$3) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S56	3	(router near2 switch\$3) same (handover) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S57	5	((router near2 switch\$3) same (multicast\$3)) handover @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:49
S58	12	((router with switch\$3) same (multicast\$3)) handover @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:52
S59	1	((switch\$3 adj router) same (multicast\$3)) handover @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:53
S60	1	((switch\$3 adj3 router) same (multicast\$3)) handover @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:53
S61	10	((switch\$3 adj3 router) (multicast\$3)) handover @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:54
S62	47	((switch\$3 adj3 router) (multicast\$3)) (handover or handoff) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:55
S63	0	((switch\$3 adj3 router) same (multicast\$3)) same (handover or handoff) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:56
S64	1737	ospf @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:08
S65	1590	ospf path @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:13
S66	59	(ospf with path) (handoff or handover) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:14
S67	59	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:16

S68	29	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:16
S69	22	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:20
S70	1	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast algorithm (shortest near2 hop) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:45
S71	1	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast algorithm (shortest near2 hop) @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:45
S72	2	"20020080752"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:01
S73	0	((start\$3 near3 point) same router) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:08
S74	14	((start\$3) same router) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:08
S75	3	((start\$3) with point) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:09
S76	0	((start\$3) near3 point) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:10
S77	12	((start\$3) near3 point) (handoff or handover) ( path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:10

S78	4	((start\$3) adj3 point) (handoff or handover) ( path) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:11
S79	0	(handoff or handover) same ospf same multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:30
S80	5	((handoff or handover) same ospf) multicast @ad< "20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:31
S81	8835	709/238	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:45
S82	152	370/299	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S83	6180	370/229	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S84	8835	709/238	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S85	1	"20020167898"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/03/09 17:30

10/12/2009 7:52:30 PM

C:\Documents and Settings\rscott\My Documents\EAST\Workspaces\10662379.wsp